

LUX Mini

The LUX Mini OPS player quickly and easily upgrades your legacy Clevertouch panel. Connect the LUX Mini to your Clevertouch panel to experience the enhanced functionality of the most up-to-date Clevertouch software. Immerse yourself in the future of interactive displays, complete with the added convenience of Google EDLA (Enterprise Devices Licensing Agreement), making LUX Mini the optimal choice for a versatile and modern interactive display solution.



Key Features



Download any app from Google Play




Update your screen with the latest version of Clevertouch



Access Google Workspace and the Microsoft Suite directly from the screen



Android 13



10th Generation "Comet Lake" Processor



8GB DDR4 2400MHz RAM



64GB SSD



Supports up to 4K video resolution

Software included at no extra cost



CLEVERSHARE®




CLEVERMDM®



CLEVERSTORE®

Choose from hundreds of apps at no extra cost. Cleverstore has apps in multiple languages and for all age groups and subjects. No adverts, no in-app purchases, no hassle.



LYNX
whiteboard

LYNX Whiteboard is a free-to-use lesson building app, enabling student collaboration. The most dynamic, intuitive user experience of any whiteboard




CLEVERSHARE®



Any device can download the Clevershare app and connect instantly by typing in the code on the Clevertouch screen. Clevershare App is free to download and compatible with Android, Windows, iOS, and Chrome devices.

CLEVER® LIVE



CleverLive is a cloud digital signage content management platform which connects all your Clevertouch products enabling broadcasting of messages, announcements and alerts. Use editable templates or create your own presentation and deploy them across any number of screens, on any number of sites, anywhere in the world.

LUX Mini Specifications

Product Specification

System Version	Android 13.0
RAM	8GB
ROM	64GB
CPU	A76 x 4 + A55 x 4
GPU	Mali-G610 MC4

I/O Port

Power Button	1
Reset Button	1
LAN	LAN 1 (10M/100M/1000Mbps)
HDMI Out	1 (Supports up to 4K@60Hz)
Type-C OUT	1 (Supports up to 4K@60Hz)
HDMI IN	1 (Supports up to 4K@60Hz)
USB 3.0	2 (Fixed Android TV box)
HDMI OS compatibility	Windows, Linux, Mac, Android, Chrome
Audio In	1
Audio Out	1
OPS Jack	1
DC IN	1

LUX Mini Built-In Features

LYNX™ App With Online Lesson Planning	Yes
Cleverstore™ App Store For Education	Yes
Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Free for the life of the screen (touch back)
Integrated Personalised Account Profiles	Yes
Cloud Account Access	OneDrive, Google Drive, LYNX Cloud
Embedded Room Booking	Yes
Whiteboard Annotation	Yes
Email Out Direct From Touchscreen	Yes
Scan QR Code For Saving Work	Yes
Alerts and Announcements	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes - Five year license
NEW CleverLauncher™	Yes
NEW LynxShare™	Yes
NEW LynxCloud™	Yes

Power

Power Supply Mode	12-19V
Power Requirements	23W
Max Power	30W
Standby Power	≤0.5W

Physical Specifications

Dimension LxWxH	180 x 119 x 30mm
Dimension (package) LxWxH	1pcs 267 x 192 x 72mm 10pcs 551 x 378 x 220mm
Net Weight	0.63kg
Gross Weight	1PCS 0.85kg 10PCS 9.45kg

Environmental Conditions

Operation Temperature	0°C ~ 40°C
Operation Humidity	10% ~ 90% RH
Storage Temperature	-20°C ~ 60% RH
Storage Humidity	10% ~ 90% RH
Altitude	Below 5000 meters

Other Functions

WiFi	2T2R 802.11 a/b/g/n/ac/ax Wi-Fi 6E
BT	BT5.3

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.